





<h2>Data sheet</h2> <h3>0350TU-1000-3-E</h3>		
SWL	7,3 t	
Pipe OD	3-1/2"	
Maximum weight per pipe	393kg	
Pipe capacity per system	18	
M20 Bolt length	190mm	
Lifting pole	LP - E	
H-Profile	0350TU-1000	
TL weight per system	222 kg	
<p><b>CODES AND STANDARDS</b></p> <ul style="list-style-type: none"> <li>• DNVGL-ST-0378</li> <li>• NORSOK R-002</li> <li>• LOLER 1998 Lifting operation and lifting equipment regulations</li> <li>• ILO Conversation No. 152</li> <li>• CE declaration of conformity</li> <li>• Machinery Directive: MD2006/42/EC</li> </ul>		
<p><b>TEST</b></p> <ul style="list-style-type: none"> <li>• Load Test 2X SWL on 5% per batch</li> <li>• NDT 100% of Primary per batch before and after test</li> </ul>		
<p><b>H-Profile</b></p> 		<p><b>Lifting Pole</b></p> 

## Stacking

Systems Stacked	Height (mm)	Joints	Supported	Truck	Boat	Rig	Yard
1	708	18		X	X	X	X
2	1365	36		X	X	X	X
3	2022	54		(X)		X	X
4	2678	72	X			X	X
5	3335	90	X			X	X

(x): Depending on Truck set-up and regulation

All sketch dimensions in mm

