






<h2 style="margin: 0;">Datasheet</h2> <h2 style="margin: 0;">0400TU-1200-2-C</h2>	
SWL	7,3 t
Pipe OD	4"
Maximum weight per pipe	592kg
Pipe capacity per system	12
M20 Bolt length	190mm
Lifting pole	LP - C
H-Profile	0400TU-1200
TL weight per system	196 kg
<p><b>CODES AND STANDARDS</b></p> <ul style="list-style-type: none"> <li>• DNVGL-ST-0378</li> <li>• NORSOK R-002</li> <li>• LOLER 1998 Lifting operation and lifting equipment regulations</li> <li>• ILO Conversation No. 152</li> <li>• CE declaration of conformity</li> <li>• Machinery Directive: MD2006/42/EC</li> </ul>	
<p><b>TEST</b></p> <ul style="list-style-type: none"> <li>• Load Test 2X SWL on 5% per batch</li> <li>• NDT 100% of Primary per batch before and after test</li> </ul>	
	
	
<p><b>H-Profile</b></p> 	
<p><b>Lifting Pole</b></p> 	

## Stacking


Systems Stacked	Height (mm)	Joints	Supported	Truck	Boat	Rig	Yard
1	513	12		x	x	x	x
2	947	24		x	x	x	x
3	1380	36		x	x	x	x
4	1813	48		x	x	x	x
5	2246	60		(x)		x	x
6	2679	72	x			x	x

(x): Depending on Truck set-up and regulation

All sketch dimensions in mm



Spacing							
Status	w (width) n (number of rows)	S <sub>w</sub> (system width)	k(constant)	y(info)	p(info)	T <sub>w</sub> (total width)	f(constant)
Storages	$w = S_w + k \cdot (n - 1)$	990	1100	0	110	$T_w = w + 2f$	110
Running on rig	$w = S_w + k \cdot (n - 1)$	990	1140	40	150	$T_w = w + 2f$	110



Example: Top view of Systems

Example:  
Spacing of 3 systems

$$w = S_w + k \cdot (n - 1) = 990 + 1100 \cdot (3 - 1) = 3190 \text{ mm}$$

$$T_w = w + 2f = 3190 + 2 \cdot 110 = 3410 \text{ mm}$$

The width “w” is the distance between the 2 outer most pipes  
The total width “T<sub>w</sub>” is between the 2 outer most Lifting Poles

## Footprint

The figure below shows the footprint surface area of a TubeLock® system.  
Each additional system stacked, will be added to the total footprint.

	<b>System Stacked</b>	<b>Footprint</b>
	1	5 kN/m <sup>2</sup>
	2	10 kN/m <sup>2</sup>
	3	15 kN/m <sup>2</sup>
	4	20 kN/m <sup>2</sup>
	5	25 kN/m <sup>2</sup>
	6	30 kN/m <sup>2</sup>